

EDUCATIONAL COLLECTIONS

OF

Australian Plants,

UNDER THE AUSPICES OF THE

VICTORIAN GOVERNMENT,

ISSUED BY

BARON FERD. VON MUELLER, C.M.G., M.D., PH.D., F.R.S.,

GOVERNMENT BOTANIST.

FIRST PART.

BY AUTHORITY :

JOHN FERRES, GOVERNMENT PRINTER, MELBOURNE.

MDCCCLXXIII.



Gentiana saxosa ;

G. FORSTER,

Svensk Kongl. Vetenskaps Academiens Handlingar 1777, pag. 183, tab. 5.

ORDER GENTIANEÆ.

South-east Australia, Tasmania, New Zealand, South America

Properties : tonic.

Upper Yarra.

Contributor : C. Walter.



Cladonia retipora ;

Floerke de Cladoniis Commentatio, pag. 181. (1828.)

ORDER LICHENES.

Extratropic Australia and New Zealand.

Apollo Bay.

Contributor : C. Walter.



Myosotis suaveolens ;

POIRET,

Encyclopédie Méthodique, Supplement, vol. iv. pag. 44. (1816.)

ORDER ASPERIFOLIÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Leptospermum myrsinoides ;

VON SCHLECHTENDAL,

Linnæa, xx. 653. (1847.)

ORDĒR MYRTACEÆ.

New South Wales, Victoria, South Australia.

Sandy heathland, Port Phillip.

Contributor : C. Grøener.



Hovea heterophylla ;

A. CUNNINGHAM,

J. Hooker, Flora Tasmania, vol. i. pag. 93, tab. 15. (1860.)

ORDER LEGUMINOSÆ.

South-east Australia.

Grampians.

Contributor : D. Sullivan.



Bossiæa cinerea;

R. BROWN,

Aiton, Hortus Kewensis, second edition, vol. iv. pag. 268. (1812.)

ORDER LEGUMINOSÆ.

South-east Australia.

Port Phillip.

Contributor : C. Groener.



Platylobium formosum ;

SMITH,

Specimen of the Botany of New Holland, pag. 17, tab. 6. (1793.)

ORDER LEGUMINOSÆ.

South-east Australia.

Dandenong.

Contributor : C. Walter.



Caulinia prostrata ;

FERD. VON MUELLER,

Fragmenta Phytographiæ Australiæ, vol. vii. pag. 128. (1871.)

Kennedyia prostrata, R. Brown in W. T. Aiton's Hortus Kewensis,
second edition, vol. iv. 299. (1812.)

ORDER LEGUMINOSÆ.

Widely diffused through extratropical Australia.

Port Phillip.—Contributor : G. Luehmann.



Pultenæa Gunnii ;

BENTHAM,

Annalen des Wiener Museums, vol. ii. pag. 82. (1840.)

ORDER LEGUMINOSÆ.

Victoria and Tasmania.

Dandenong.

Contributor : C. Walter.



Myriophyllum amphibium;

LA BILLARDIÈRE,

Plantarum Novæ Hollandiæ Specimen, vol. ii. pag. 70, tab. 220. (1806.)

ORDER HALORAGÆ.

Victoria and Tasmania.

Curdie's River.

Contributor : Baron Von Mueller.



Hydrocotyle laxiflora;

CANDOLLE,

Prodromus Systematis Naturalis Regni Vegetabilis, vol. iv. pag. 61. (1830.)

South-east Australia.

Port Phillip.

Contributor : G. Luehmann.



Xanthosia tridentata ;

CANDOLLE,


Prodromus Systematis Naturalis Regni Vegetabilis, vol. iv. pag. 75. (1830.)

ORDER UMBELLIFERÆ.

Victoria, New South Wales.

Wilson's Promontory.

Contributor : Baron Von Mueller.



Bauera rubioides ;

ANDREWS,

Botanist's Repository, 198. (1799.)

ORDER SAXIFRAGEÆ.

New South Wales, Victoria, Tasmania.

Dandenong.

Contributor : C. Walter.



Rubus parvifolius ;

LINNÉ,

Species Plantarum, editio secunda, pag. 707. (1762.)

Native Raspberry.

ORDER ROSACEÆ.

South and East Australia, East Asia.

Dandenong.

Contributor : C. Walter.



Tillæa intricata ;

NEES VON ESENBECK,
Lehmann Plantæ Preissianæ, i. 278. (1845.)

ORDER CRASSULACEÆ.

Extratropical Australia, also in Tasmania.

Banks of the Loddon.

Contributor : Baron Von Mueller.



Linum marginale;

ALL. CUNNINGHAM,

Hooker's London Journal of Botany, vol. vii. pag. 169. (1848.)

Native Flax.

ORDER LINEÆ.

Extratropic Australia.

Dandenong.

Contributor : C. Walter.



***Stellaria flaccida* ;**

HOOKER,

Companion to the Botanic Magazine, vol. i. pag. 275. (1835.)

ORDER CARYOPHYLLÆ.

Extratropic Australia.

Upper Yarra.

Contributor : C. Walter.



Hibbertia densiflora ;

FERD. VON MUELLER,

Plants Indigenous to the Colony of Victoria, vol. i. pag. 15. (1860-62.)

ORDER DILLENACEÆ.

South Australia, Victoria, New South Wales, Tasmania.

Port Phillip.

Contributor : G. Luehmann.



Comesperma ericinum;

CANDOLLE,

Prodromus Systematis Naturalis Regni Vegetabilis, vol. i. pag. 334. (1824.)

ORDER POLYGALEÆ.

South-east Australia.

Dandenong.

Contributor : C. Walter.



Spinifex hirsutus ;

LABILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 81, t. 230 et 231. (1806.)

ORDER GRAMINEÆ.

Extratropic Australia.

Port Phillip.

Contributor : G. Luehmann.



Aster argophyllus ;

LA BILLARDIÈRE,

Plantarum Novæ Hollandiæ Specimen, vol. ii. pag. 52, tab. 201. (1806.)

Musk Aster.

ORDER COMPOSITÆ.

New South Wales, Victoria, Tasmania.

Upper Yarra.

Contributor : C. Walter.



Pomaderris prunifolia ;

A. CUNNINGHAM,

Huegel, Enumeratio Plantarum Novæ Hollandiæ Austro-occidentalis,
pag. 22. (1837.)

ORDER RHAMNACEÆ.

New South Wales, Victoria.

Upper Yarra.

Contributor : C. Walter.



Billardiera cymosa ;

FERD. VON MUELLER,
Transactions of the Victorian Institute 1855, 29.

ORDER PITTOSPOREÆ.

South Australia, Victoria.

You Yangs.

Contributor : J. P. Fullagar.



Clematis microphylla ;

DE CANDOLLE,

Regni Vegetabilis Systema Naturale, vol. i. pag. 147. (1818.)

ORDER RANUNCULACEÆ.

Springly through the greater part of extratropical Australia.

Port Phillip.—Contributor : C. Schlipalius.



Styphelia Richei;

LA BILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. i. pag. 44, tab. 60. (1804.)

ORDER EPACRIDÆ.

Extratropic Australia.

Port Phillip.

Contributor : G. Luehmann.



Aster argophyllus ;

LA BILLARDIÈRE,

Plantarum Novæ Hollandiæ Specimen, vol. ii. pag. 52, tab. 201. (1806.)


Musk Aster.

ORDER COMPOSITÆ.

New South Wales, Victoria, Tasmania.

Upper Yarra.

Contributor : C. Walter.



Senecio vagus ;

FERD. VON MUELLER,

Transactions of the Philosophic Society of Victoria, vol. i. pag. 46. (1855.)

ORDER COMPOSITÆ.

New South Wales and Victoria.

Upper Yarra.

Contributor : C. Walter.



Helipterum exiguum;

FERD. VON MUELLER,

Transactions of the Victorian Institute 1855, p. 39.

ORDER COMPOSITÆ.

Extratropical Australia.

You Yangs.

Contributor : J. P. Fullagar.



Leptorrhynchus tenuifolius ;

FERD. VON MUELLER,

Fragmenta Phytographia Australiae, i. 52. (1858.)

ORDER COMPOSITÆ.

Victoria.

Plains on the Yarra.

Contributor : C. Walter.



Rutidosia leptorrhynchoides ;

FERD. VON MUELLER;

Fragmenta Phytographiæ Australiæ, v. 148. (1866.)

ORDER COMPOSITÆ.

New South Wales, Victoria.

You Yangs.

Contributor : J. P. Fullagar.



Brachycome graminea;

FERD. VON MUELLER,

Fragmenta Phytographiæ Australiae, vol. i. pag. 49. (1858.)

Grass-Daisy.

ORDER COMPOSITÆ.

New South Wales, Victoria, South Australia, Tasmania.

Port Phillip.

Contributor : G. Luehmann.



Melaleuca ericifolia ;

SMITH,

Transactions of the Linnean Society, vol. iii. pag. 276. (1797.)

ORDER MYRTACEÆ.

South-east Australia.

Port Phillip.

Contributor : G. Luehmann.



Callistemon salignus ;

DE CANDOLLE,

Prodromus Systematis Regni Vegetabilis, iii. 223. (1828.)

ORDER MYRTACEÆ.

From South Australia to Queensland, also in Tasmania.

Banks of the Loddon.

Contributor : Baron Von Mueller.



Utricularia lateriflora;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, 431. (1810.)

ORDER LENTIBULARINÆ.

Tasmania, Victoria, New South Wales.

Heathbogs on Curdie's River.

Contributor : Baron Von Mueller.



Statice Taxantheme ;

Rœmer et Schultes Systema Vegetabilium, vi. 793. (1820.)

ORDER PLUMBAGINEÆ.

From Victoria and Tasmania through East Australia to New
Caledonia, China and Japan.

Saline meadows at Circular Head.

Contributor : Baron Von Mueller.



Trichinium macrocephalum ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 415. (1810.)

ORDER AMARANTACEÆ.

Victoria, New South Wales, Queensland.

You Yangs.

Contributor : Jam. Fullagar.



***Atriplex crystallinum* ;**

J. HOOKER,

London Journal of Botany, vol. vi. pag. 279. (1847.)

ORDER SALSOLACEÆ.

Victoria, Tasmania, New Zealand.

Between Warrnambool and Port Fairy.

Contributor : Baron Von Mueller.



Teucrium corymbosum ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 504. (1810.)

ORDER LABIATÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Prostanthera lasianthos ;

LABILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 18, tab. 157. (1806.)


Labiatae-tree.

ORDER LABIATÆ.

South-east Australia.

Upper Yarra.

Contributor : G. Luehmann.



Veronica gracilis ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 435. (1810.)

ORDER SCROPHULARINÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Gratiola Peruviana ;

LINNÉ,

Species Plantarum, p. 17. (1753.)

ORDER SCROPHULARINÆ.

Extratropic Australia, New Zealand and South America.

Properties powerfully drastic.

Sources of the Loddon.

Contributor : Baron Von Mueller.



Pimelea phyllicoides ;

MEISSNER,

Lehmann Plantæ Preissianæ, vol. ii. pag. 271. (1847.)

ORDER THYMELEÆ.

New South Wales, Victoria, South Australia.

Port Phillip.

Contributor : G. Luchmann.



***Pterostylis semirubra*;**


FERD. VON MUELLER,
Fragmenta Phytographiæ Australiæ, vol. viii. pag. 249. (1874.)

ORDER ORCHIDÆ.

Victoria and Tasmania.

Apollo Bay.

Contributor : C. Walter.



Microtis porrifolia ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 320. (1810.)

ORDER ORCHIDÆ.

Extratropic and eastern subtropic Australia.

Port Phillip.

Contributor : C. Groener.



Xyris gracilis ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, 256. (1810.)

ORDER XYRIDEÆ.

Tasmania, Victoria, and New South Wales.

Heaths at Circular Head.

Contributor : Baron Von Mueller.



Thysanotus tuberosus ;

R. BROWN,

Prodromus Floræ Novæ Hollandiæ, pag. 282. (1810.)

Straight Fringelily.

ORDER LILIACEÆ.

South-east Australia.

Upper Yarra.

Contributor : C. Walter.



Tricoryne elatior;


R. BROWN,
Prodromus Floræ Novæ Hollandiæ, pag. 278. (1810.)

ORDER LILIACEÆ.

Extratropic and eastern subtropic Australia.

Port Phillip.

Contributor : C. Groener.



Calostrophus elongatus ;

LA BILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, ii. 78. (1806.)

ORDER RESTIACEÆ.

Tasmania.

Heath-swamps towards Arthur's River.

Contributor : Baron Von Mueller.



Spinifex hirsutus ;

LABILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 81, t. 230 et 231. (1806.)

ORDER GRAMINEÆ.

Extratropic Australia.

Port Phillip.

Contributor : G. Luehmann.



Pteris incisa ;

THUNBERG,

Prodromus Plantarum Capensium, pag. 171. (1800.)

ORDER FILICES.

East Australia, New Zealand, Polynesia, South Asia, South
America, Africa.

Upper Yarra.

Contributor : G. Luehmann.



Dicksonia antarctica ;

LA BILLARDIÈRE,

Novæ Hollandiæ Plantarum Specimen, vol. ii. pag. 100, tab. 249. (1806.)

ORDER FILICES.

South-east Australia, New Zealand, Polynesia.

Upper Yarra.

Contributor : C. Walter.



Gleichenia flabellata ;

R. BROWN,
Prodromus Floræ Novæ Hollandiæ, pag. 161. (1810.)

ORDER FILICES.

Victoria, Tasmania, New South Wales, Queensland, New
Zealand, Polynesia.

Upper Yarra.

Contributor : G. Luehmann.



Asplenium umbrosum ;

J. SMITH,

Hooker's Journal of Botany, vol. iv. pag. 174. (1842.)

ORDER FILICES.

Africa, South Asia, East Australia, New Zealand.

Upper Yarra.

Contributor : G. Luehmann.